NEWS RELEASE

FOR IMMEDIATE RELEASE

January 20, 2011



Contact:	Jennifer Riley
	MTU Detroit Diesel
Phone:	+1 313 592 8103
E-mail:	jennifer.riley@mtu-online.com

In mailen Dilau

 Agency contact:
 Robert E. Sheldon, APR

 Creative Communications Consultants, Inc.

 Phone:
 210-828-1880

 E-mail:
 rsheldon@cccinc.com

MTU Onsite Energy introduces seven new gaseous generator sets from 130 kW to 400 kW

MANKATO, Minnesota –MTU Onsite Energy has introduced seven new gaseous-fueled generator sets in the important power node from 130 kW to 400 kW. Sold under the brand name Katolight by MTU Onsite Energy, the new units are certified to accept rated load in one step as specified by NFPA 110. This transient performance feature makes them ideal for agricultural standby power applications where gaseous fuels are preferred. The new units are standby-rated at 130 kW, 150 kW, 175 kW, 200 kW, 260 kW, 325 kW and 400 kW when running on natural gas. Standby ratings are slightly lower when running on LP gas.

"Gaseous generator sets, running on either natural gas or on LP gas, fill an important role in providing vital standby power for poultry, hog confinement, dairy operations, greenhouses and other agricultural applications," says Al Prosser, director of sales, <u>MTU Onsite Energy</u>. "They are also economical to run due to the lower cost of gaseous fuel, and they provide a high level of reliability due to superior design and performance testing. The MTU Onsite Energy distribution network insures years of reliable performance and after-sales support."



2/3

The 130 kW and 150 kW units feature an 8.1 liter inline six-cylinder engine. The 175 kW and 200 kW units feature an 11.1 liter inline six-cylinder engine. The 260 kW unit has a 14.6 liter engine, the 325 kW unit has an 18.3 liter engine and the 400 kW unit has a 21.9 liter engine. All engines have turbochargers with charge-air cooling and EPA-certified three-way catalysts for emissions compliance. They also feature extra large oil sumps which aid in extending oil change intervals.

The units come standard with a UL-recognized digital control panel with an LCD display and complete system metering. The brushless, rotating-field alternators have a 300 percent short-circuit capability and feature 2/3 pitch windings. Three levels of sound attenuated enclosures are available: standard, basic (85 dBA) and maximum (75 dBA).

- End -



MTU Onsite Energy has introduced seven new Katolight by MTU Onsite Energy gaseous-fueled generator sets in the important power node from 130 kW to 400 kW. The new units are certified to accept rated load in one step as specified by NFPA 110, making them suitable for use in emergency standby power applications.

(MTU-8200ag)

-more-



MTU Onsite Energy Corporation

MTU Onsite Energy Corp. (formerly Katolight Corporation) is a leading producer of diesel-powered generator sets from 30 to 3,250 kW and natural gas-powered generator sets from 30 to 400 kW for standby, prime power and cogeneration applications. The company also provides automatic transfer switches, paralleling switchgear, controls and accessories for complete power system solutions. Based in Mankato, Minnesota, MTU Onsite Energy Corp. combines the expertise of Katolight and MTU Detroit Diesel Power Generation under one brand to meet the ever-increasing distributed power needs of customers in North America and around the world. MTU Onsite Energy Corp. is part of the Tognum Group's business unit, Onsite Energy and Components. For more information, visit <u>www.mtu-online.com</u>

Tognum

With its two business units, Engines and Onsite Energy & Components, the Tognum Group is one of the world's leading suppliers of engines and propulsion systems for off-highway applications and of distributed energy systems. These products are based on diesel engines with up to 9,100 kilowatts (kW) power output, gas engines up to 2,150 kW and gas turbines up to 45,000 kW.

The product portfolio of the Engines business unit comprises MTU engines and propulsion systems for ships, for heavy land, rail and defense vehicles and for the oil and gas industry. The portfolio of the Onsite Energy & Components business unit includes distributed energy systems of the brand MTU Onsite Energy and fuelinjection systems from L'Orange. The energy systems comprise diesel engines for emergency standby power, prime power and continuous power, as well as cogeneration power plants based on gas engines, fuel cells and gas turbines that generate both power and heat.

In 2009, Tognum generated revenue of €2.5 billion and employs more than 8,700 people. Tognum has a global manufacturing, distribution and service structure with 27 fully consolidated companies, more than 140 sales partners and over 500 authorized dealerships at approximately 1,200 locations. The shares of Tognum AG (ISIN: DE000A0N4P43) have been stock-exchange listed since 2007 and are included in the MDAX.

###

3/3